



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**Work Order ID 73381**

Wednesday, August 31, 2011 1:44:13 PM



Page 2

Item ID: D3538-1

Accept



Setup Start



Revision ID:

Item Name: Hinge Bracket

Stop



Start Date: 9/1/2011 Start Qty: 24.00



Cust Item ID:

Required Date: 9/12/2011 Req'd Qty: 24.00



Customer:

Reference:

Approvals: Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/  
Work Center ID

130



QC

Quality Control

Operation  
Description

QC8- Inspect parts - second check

Set Up/  
Run Hours

0.00

52 11-9-12

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

140



HandFinish

Hand Finishing

Chemical Conversion Coat per QSI005 4.1

0.00

Memo

24 BL 11-9-13.

150



Powdercoat

Powder Coating

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

Memo

8:20

0.00

START TIME:

□ OVEN TEMPERATURE:

□ FINISH TIME:

320°F

8:50

24X Ø m-11/20/13

M 118439

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**Work Order ID 73381**

Wednesday, August 31, 2011 1:44:13 PM



Page 3

Item ID: D3538-1

Accept



Setup Start



Revision ID:

Item Name: Hinge Bracket

Stop



Start Date: 9/1/2011 Start Qty: 24.00



Cust Item ID:

Required Date: 9/12/2011 Req'd Qty: 24.00



Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_

Date: \_\_\_\_\_

Tooling: \_\_\_\_\_

Date: \_\_\_\_\_

Run Start



QC: \_\_\_\_\_

Date: \_\_\_\_\_

SPC (Y/N): \_\_\_\_\_

Date: \_\_\_\_\_

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
Qty

coupled

Reject  
NumberInsp.  
Stamp

160

QC3- Inspect Part Finish

0.00

24

all ok 11/09/14



QC

Quality Control

170

Identify as per dwg & Stock Location: 065

0.00



Packaging

Packaging

Memo

0.00

180

QC21- Final Inspection - Work Order Release

0.00



QC

Quality Control

Memo

0.00

MF 11-09-14

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

# Picklist Print

Wednesday, August 31, 2011 1:44:10 PM

Page 1

Work Order ID: 73381



Parent Item: D3538-1



Parent Item Name: Hinge Bracket

Start Date: 9/1/2011

Required Date: 9/12/2011

Start Qty: 24.00

Required Qty: 24.00

Comments: IPP Rev:A New Issue 06-10.03 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M6061T6B1.250X01.25 0		Purchased		No		100	f	6.5091	0.19	4.8			

6061-T6 Bar 1.25 x 1.25



Location	Loc Qty	Loc Code
MAT003	6.5091	
117798	6.5091	

(M6061T6 1.5 x 1.25) 118071 (this time only → material)  
shortage

.675 ft B.a 11/09/08  
2.425 ft B.a 11/09/08

m 6061T6B1.500 x 01.250

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	73381
Description: Hinge Bracket		Part Number:	D3538-1
Inspection Dwg: D3538	Rev: A		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

First Article  Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.75	+/-0.030	754	—		Vern 11-06	
0.375	+/-0.010	378	—		"	
0.241	+/-0.010	241	—		"	
0.830	+/-0.010	830	—		"	
Ø0.172	+0.005/-0.001	Ø.172	—		"	
Ø0.400	+0.006/-0.001	Ø.400	—		"	
0.031	+/-0.010	.027	—		"	
1.31	+/-0.030	1.313	—		"	
0.375	+/-0.010	373	—		"	
0.99	+/-0.030	992	—		"	
0.125	+/-0.010	.127	—		"	
R0.19	+/-0.030	R.190	—		R-6	
0.083	+/-0.010	085	—		Vern 11-06	
93°	+/-0.5°	93°	—		"	
0.674	+/-0.010	672	—		"	
R0.38	+/-0.030	R.380	—		R-6	
Ø0.172	+0.005/-0.001	Ø.172	—		Vern 11-06	

Measured by:	<i>SL</i>	Audited by:	<i>SL</i>	Prototype Approval:	N/A
Date:	11/09/09	Date:	11-09-12	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	07.05.31	New Issue	KJ/JLM <i>SL</i>	<i>SL</i>

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector





Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_  
 Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date &amp; initial all entries

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA		
CHECKED <i>PH</i>	APPROVED <i>MM</i>	DRAWING NO. D3538	REV. A	SHEET 1 OF 2
DATE 06.10.13		TITLE HINGE BRACKET	SCALE 1:1	
REV A	DATE 06.10.13	DESCRIPTION NEW ISSUE		

**RELEASED**  
*06.10.13**#73381***AUXILIARY VIEW A****D3538-1 HINGE BRACKET****NOTES:**

- 1) MATERIAL: 6061-T6 ALUMINUM PER QQ-A-225/8 OR QQ-A-200/8 (REF DART SPEC M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX
- 6) IDENTIFY WITH P/N D3538-1 USING FINE POINT PERMANENT INK MARKER

**COPYRIGHT © 2006 BY DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			




NOTE: Date & initial all entries

**DART**

DESIGN <i>LE</i>	DRAWN BY <i>LE</i>	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>PH</i>	APPROVED <i>MM</i>	DRAWING NO. D3538	REV. A SHEET 2 OF 2
DATE 06.10.13		TITLE HINGE BRACKET	SCALE 1:1

**RELEASED**  
06.10.13 *MM*

#73381

**AUXILIARY VIEW B****D3538-3 HINGE BRACKET****NOTES:**

- 1) MATERIAL: 6061-T6 ALUMINUM PER QQ-A-225/8 OR QQ-A-200/8 (REF DART SPEC M6061T6B)
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1  
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 5) BREAK ALL SHARP CORNERS TO 0.010 MAX
- 6) IDENTIFY WITH P/N D3538-3 USING FINE POINT PERMANENT INK MARKER

**COPYRIGHT © 2006 BY DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries